

Schaerer Matic

Model 15 SM 2 (coffee, hot water, steam)

September 2007



Basic configuration

| | |
|--|-----------------------------|
| Spouts: coffee / hot water / steam | 1 / 1 / 1 |
| Boiler: coffee (3kW) / hot water (3kW) / steam (6kW) | 1 / 1 / 1 |
| Grinders / DECAF function | 1 / 1 |
| Programmable product selection | up to 14 different products |

Connections

| | |
|-----------------------------------|------------------------------|
| Voltage / power / fuse protection | 400 V 3NAC, 9.7 kW, 16 A |
| Water connection / water outlet | G ½" max 3 bar / min. Ø 40mm |
| Water hardness | 5°-7° dh / 8°-12° fh |

Dimensions

| | |
|------------------------|--------------------|
| Width / depth / height | 614 / 600 / 758 mm |
| Weight | about 105 kg |


Output per hour (approximate)

| | |
|---------------------------------|-----|
| Espresso (cup of 50 - 60ml) | 240 |
| Coffee (cup of 120ml) | 200 |
| Breakfast coffee (pot of 250ml) | 280 |
| Hot water (litre) | 45 |

Options

| |
|--|
| 2-4 grinders |
| Dosage EGI for grinded coffee |
| SES-Schaerer Espresso system |
| Constant brewing programme |
| Chute for coffee grounds under counter |
| Water and waste water tank |
| Cold milk system |
| Connection to all commercial invoicing systems |
| Cup warmer |

Dimensions



Colours

Illustrations may not reflect actual colour

| | |
|---|--------|
|  | Silver |
|  | Black |

Differences between the offered machine and the picture/configuration are possible

M. Schaerer Ltd.
Gewerbstrasse 15
CH - 3302 Moosseedorf
Phone +41 (0)31 858 51 11
Fax +41 (0)31 858 51 40
info@schaerer.com
www.schaerer.com


coffee comes to life

SWISS MADE

Schaerer Matic

Model 18 SM 2 (coffee, tea)

September 2007



Basic configuration

| | |
|--|-----------------------------|
| Spouts: coffee / hot water | 1 / 1 |
| Boiler: coffee (3kW) / hot water (3kW) / steam (6kW) | 1 / 1 / 1 |
| Grinders / DECAF function | 1 / 1 |
| Programmable product selection | up to 14 different products |

Connections

| | |
|-----------------------------------|------------------------------|
| Voltage / power / fuse protection | 400 V 3NAC, 9.7 kW, 16 A |
| Water connection / water outlet | G ½" max 3 bar / min. Ø 40mm |
| Water hardness | 5°-7° dh / 8°-12° fh |

Dimensions

| | |
|------------------------|--------------------|
| Width / depth / height | 614 / 600 / 758 mm |
| Weight | about 105 kg |


Output per hour (approximate)

| | |
|---------------------------------|-----|
| Espresso (cup of 50 - 60ml) | 240 |
| Coffee (cup of 120ml) | 200 |
| Breakfast coffee (pot of 250ml) | 280 |
| Hot water (litre) | 50 |

Options

| |
|--|
| 2-4 grinders |
| Dosage EGI for grinded coffee |
| SES-Schaerer Espresso system |
| Constant brewing programme |
| Chute for coffee grounds under counter |
| Water and waste water tank |
| Cold milk system |
| Connection to all commercial invoicing systems |
| Cup warmer |

Dimensions



Colours

Illustrations may not reflect actual colour

| | |
|---|--------|
|  | Silver |
|  | Black |

Differences between the offered machine and the picture/configuration are possible

M. Schaerer Ltd.
Gewerbstrasse 15
CH - 3302 Moosseedorf
Phone +41 (0)31 858 51 11
Fax +41 (0)31 858 51 40
info@schaerer.com
www.schaerer.com


coffee comes to life

SWISS MADE

Schaerer Matic

Model 19 SM 2 (coffee, hot water, steam)

September 2007



Basic configuration

| | |
|--|-----------------------------|
| Spouts: coffee / hot water / steam | 1 / 1 / 1 |
| Boiler: coffee (3kW) / hot water (3kW) / steam (6kW) | 1 / 1 / 1 |
| Grinders / DECAF function | 1 / 1 |
| Programmable product selection | up to 14 different products |

Connections

| | |
|-----------------------------------|------------------------------|
| Voltage / power / fuse protection | 400 V 3NAC, 9.7 kW, 16 A |
| Water connection / water outlet | G ½" max 3 bar / min. Ø 40mm |
| Water hardness | 5°-7° dh / 8°-12° fh |

Dimensions

| | |
|------------------------|--------------------|
| Width / depth / height | 614 / 600 / 758 mm |
| Weight | about 105 kg |


Output per hour (approximate)

| | |
|---------------------------------|-----|
| Espresso (cup of 50 - 60ml) | 240 |
| Coffee (cup of 120ml) | 200 |
| Breakfast coffee (pot of 250ml) | 280 |
| Hot water (litre) | 50 |

Options

- 2-4 grinders
- Dosage EGI for grinded coffee
- SES-Schaerer Espresso system
- Constant brewing programme
- Chute for coffee grounds under counter
- Water and waste water tank
- Cold milk system
- Connection to all commercial invoicing systems
- Cup warmer

Dimensions



Colours

Illustrations may not reflect actual colour

-  Silver
-  Black

Differences between the offered machine and the picture/configuration are possible

M. Schaerer Ltd.
Gewerbstrasse 15
CH - 3302 Moosseedorf
Phone +41 (0)31 858 51 11
Fax +41 (0)31 858 51 40
info@schaerer.com
www.schaerer.com


coffee comes to life

SWISS MADE